



ODOR LINE SURF DES

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878
SDS Reference Number: 2511499
Revision date: 7/15/2026 Supersedes version of: 8/19/2025 Version: 4.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Trade name : ODOR LINE SURF DES
UFI : FDKC-X739-E70R-XSKV
Product code : 2511499
Product group : Trade product

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Main use category : Professional use
Industrial/Professional use spec : Industrial
For professional use only

1.3. Details of the supplier of the safety data sheet

Manufacturer

Pollet SA
Rue de la Grande Couture, 20
BE 7501 Tournai-Doornik, Hainaut-Henegouwen
Belgique-België
T +32 69 22 21 21
info@pollet.eu, www.pollet.eu

1.4. Emergency telephone number

Emergency number : +32 70 245 245
Poison centre

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin corrosion/irritation, Category 1, Sub-Category 1C H314
Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS05

Signal word (CLP) : Danger
Contains : LACTIC ACID; GLYCOLIC ACID
Hazard statements (CLP) : H314 - Causes severe skin burns and eye damage.
Precautionary statements (CLP) : P280 - Wear protective gloves, eye protection.
P301+P330+P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing.
Rinse skin with water .
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

ODOR LINE SURF DES

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

contact lenses, if present and easy to do. Continue rinsing.
P310 - Immediately call a POISON CENTER, a doctor.

2.3. Other hazards

Contains no PBT and/or vPvB substances $\geq 0.1\%$ assessed in accordance with REACH Annex XIII

Component	
Substance(s) not meeting the PBT criteria of REACH regulation, in accordance with Annex XIII	LACTIC ACID (79-33-4), SODIUM LAURYL SULFATE (85586-07-8), SODIUM LAURETH SULFATE (68891-38-3)
Substance(s) not meeting the vPvB criteria of REACH regulation, in accordance with Annex XIII	LACTIC ACID (79-33-4), SODIUM LAURYL SULFATE (85586-07-8), SODIUM LAURETH SULFATE (68891-38-3)

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
LACTIC ACID	CAS-No.: 79-33-4 EC-No.: 201-196-2 EC Index-No.: 607-743-00-5 REACH-no: 01-2119474164-39	15 – 30	Skin Corr. 1C, H314 Eye Dam. 1, H318
SODIUM LAURYL SULFATE	CAS-No.: 85586-07-8 EC-No.: 287-809-4 REACH-no: 01-2119489463-28	5 – 15	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 3, H412
D-pentose oligomeric C5 alkyl glycosides	CAS-No.: 1235390-87-0 EC-No.: 444-850-4 REACH-no: 0000018776-57	5 – 15	Eye Irrit. 2, H319
CITRIC ACID	CAS-No.: 5949-29-1 EC-No.: 201-069-1 REACH-no: 01-2119457026-42	5 – 15	Eye Irrit. 2, H319
SODIUM LAURETH SULFATE	CAS-No.: 68891-38-3 EC-No.: 500-234-8 REACH-no: 01-2119488639-16	1 – 5	Skin Irrit. 2, H315 Eye Dam. 1, H318
GLYCOLIC ACID	CAS-No.: 79-14-1 EC-No.: 201-180-5 REACH-no: 01-2119485579-17	1 – 5	Acute Tox. 4 (Inhalation), H332 Skin Corr. 1B, H314 Eye Dam. 1, H318

ODOR LINE SURF DES

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Specific concentration limits:		
Name	Product identifier	Specific concentration limits (%)
SODIUM LAURYL SULFATE	CAS-No.: 85586-07-8 EC-No.: 287-809-4 REACH-no: 01-2119489463-28	(10 ≤ C < 20) Eye Irrit. 2; H319 (20 ≤ C ≤ 100) Eye Dam. 1; H318
SODIUM LAURETH SULFATE	CAS-No.: 68891-38-3 EC-No.: 500-234-8 REACH-no: 01-2119488639-16	(5 ≤ C < 10) Eye Irrit. 2; H319 (10 ≤ C < 100) Eye Dam. 1; H318

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: Allow affected person to breathe fresh air. Allow the victim to rest. Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor.
First-aid measures after skin contact	: Take off immediately all contaminated clothing. Rinse skin with water/shower. Immediately call a POISON CENTER/doctor.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER/doctor.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects	: Causes severe skin burns and eye damage.
------------------	--

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	: Foam. Dry powder. Carbon dioxide. Water spray. Sand.
Unsuitable extinguishing media	: Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

No additional information available

5.3. Advice for firefighters

Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Emergency procedures	: Evacuate unnecessary personnel.
----------------------	-----------------------------------

ODOR LINE SURF DES

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

For emergency responders

Protective equipment : Equip cleanup crew with proper protection.
Emergency procedures : Ventilate area.

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible.
Collect spillage. Store away from other materials.

6.4. Reference to other sections

See Section 8. Exposure controls and personal protection.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. Do not breathe dust/fume/gas/mist/vapours/spray.
Hygiene measures : Wash hands, forearms and face thoroughly after handling. Wash contaminated clothing before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Comply with applicable regulations.
Storage conditions : Keep only in the original container in a cool, well-ventilated place away from: Direct sunlight.
Keep container closed when not in use.
Incompatible products : Strong bases. Strong acids.
Incompatible materials for storage : Sources of ignition. Direct sunlight.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Exposure controls

Personal protection equipment

Personal protective equipment:

Avoid all unnecessary exposure.

Personal protective equipment symbol(s):



Eye and face protection

Eye protection:

Safety glasses (EN 166)

Skin protection

Skin and body protection:

Wear suitable protective clothing

ODOR LINE SURF DES

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Hand protection:

Protective gloves against chemicals (EN 374)

Respiratory protection

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

Environmental exposure controls

Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: colourless to yellow.
Appearance	: Liquid.
Odour	: peppermint odour.
Odour threshold	: Not available
Melting point	: Not available
Freezing point	: Not available
Boiling point	: Not available
Flammability	: Non flammable
Lower explosion limit	: Not available
Upper explosion limit	: Not available
Flash point	: Not available
Auto-ignition temperature	: Not available
Decomposition temperature	: Not available
pH	: 2.5 (2 – 3)
pH solution	: 2.5 (2 – 3) (3%)
Viscosity, kinematic	: Not available
Solubility	: Soluble in water.
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: Not available
Vapour pressure at 50°C	: Not available
Density	: 1150 (1145 – 1155) g/l
Relative density	: 1.15 (1.145 – 1.155)
Relative vapour density at 20°C	: Not available
Particle characteristics	: Not applicable

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Thermal decomposition generates : Corrosive vapours.

10.2. Chemical stability

Not established.

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

ODOR LINE SURF DES

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide. Thermal decomposition generates : Corrosive vapours.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

LACTIC ACID (79-33-4)

LD50 oral rat	3543 mg/kg bodyweight (EPA OPP 81-1: Acute Oral Toxicity, Rat, Female, Experimental value, Oral)
LD50 oral	3730 mg/kg bodyweight
LD50 dermal rabbit	> 2000 mg/kg (EPA OPP 81-2, 24 h, Rabbit, Male / female, Experimental value, Dermal)
LD50 dermal	> 2000 mg/kg bodyweight
LC50 Inhalation - Rat	> 7.94 mg/l (OECD 403: Acute Inhalation Toxicity, 4 h, Rat, Male / female, Experimental value, Inhalation (aerosol))
LC50 Inhalation - Rat (Dust/Mist)	> 7940 mg/l

SODIUM LAURYL SULFATE (85586-07-8)

LD50 oral rat	500 – 2000 mg/kg bodyweight (EU Method B.1 tris: Acute oral toxic – Acute toxic class method, Rat, Male / female, Experimental value, Oral)
LD50 oral	> 500 mg/kg bodyweight
LD50 dermal rat	> 2000 mg/kg bodyweight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Read-across, Dermal, 14 day(s))

SODIUM LAURETH SULFATE (68891-38-3)

LD50 oral rat	4100 mg/kg bodyweight (OECD 401: Acute Oral Toxicity, Rat, Male / female, Experimental value, Oral, 14 day(s))
LD50 oral	4100 mg/kg bodyweight
LD50 dermal rat	> 2000 mg/kg bodyweight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Dermal, 14 day(s))
LD50 dermal	> 2000 mg/kg bodyweight

GLYCOLIC ACID (79-14-1)

LD50 oral	2040 mg/kg bodyweight
LC50 Inhalation - Rat (Dust/Mist)	2520 mg/l

Skin corrosion/irritation : Causes severe skin burns.
pH: 2.5 (2 – 3)

LACTIC ACID (79-33-4)

pH	2.3 (1 %)
----	-----------

SODIUM LAURYL SULFATE (85586-07-8)

pH	10.4 (1 %)
----	------------

ODOR LINE SURF DES

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SODIUM LAURETH SULFATE (68891-38-3)

pH	No data available in the literature
----	-------------------------------------

Serious eye damage/irritation : Assumed to cause serious eye damage
pH: 2.5 (2 – 3)

LACTIC ACID (79-33-4)

pH	2.3 (1 %)
----	-----------

SODIUM LAURYL SULFATE (85586-07-8)

pH	10.4 (1 %)
----	------------

SODIUM LAURETH SULFATE (68891-38-3)

pH	No data available in the literature
----	-------------------------------------

Respiratory or skin sensitisation : Not classified
Additional information : Based on available data, the classification criteria are not met
Germ cell mutagenicity : Not classified
Additional information : Based on available data, the classification criteria are not met
Carcinogenicity : Not classified
Additional information : Based on available data, the classification criteria are not met
Reproductive toxicity : Not classified
Additional information : Based on available data, the classification criteria are not met
STOT-single exposure : Not classified
Additional information : Based on available data, the classification criteria are not met
STOT-repeated exposure : Not classified
Additional information : Based on available data, the classification criteria are not met
Aspiration hazard : Not classified
Additional information : Based on available data, the classification criteria are not met

LACTIC ACID (79-33-4)

Viscosity, kinematic	30.147 mm²/s
----------------------	--------------

SODIUM LAURYL SULFATE (85586-07-8)

Viscosity, kinematic	Not applicable (solid)
----------------------	------------------------

SODIUM LAURETH SULFATE (68891-38-3)

Viscosity, kinematic	Not applicable (solid)
----------------------	------------------------

11.2. Information on other hazards

Other information

Potential adverse human health effects and symptoms : Based on available data, the classification criteria are not met

SECTION 12: Ecological information

12.1. Toxicity

Hazardous to the aquatic environment, short-term (acute) : Not classified
Hazardous to the aquatic environment, long-term (chronic) : Not classified

LACTIC ACID (79-33-4)

LC50 - Fish [1]	320 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Brachydanio rerio, Semi-static system, Fresh water, Weight of evidence, GLP)
-----------------	---

ODOR LINE SURF DES

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

LACTIC ACID (79-33-4)	
EC50 - Crustacea [1]	250 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, GLP)
EC50 - Other aquatic organisms [1]	130 mg/l waterflea
EC50 - Other aquatic organisms [2]	> 2800 mg/l
ErC50 algae	3.5 g/l (OECD 201: Alga, Growth Inhibition Test, 70 h, Selenastrum capricornutum, Static system, Fresh water, Experimental value, GLP)

SODIUM LAURYL SULFATE (85586-07-8)	
LC50 - Fish [1]	3.6 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Oncorhynchus mykiss, Semi-static system, Fresh water, Experimental value, GLP)
EC50 - Crustacea [1]	4.7 mg/l (EU Method, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, GLP)
EC50 - Other aquatic organisms [1]	4.7 mg/l waterflea

SODIUM LAURETH SULFATE (68891-38-3)	
LC50 - Fish [1]	7.1 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Brachydanio rerio, Flow-through system, Fresh water, Experimental value, GLP)
EC50 - Crustacea [1]	7.4 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, Locomotor effect)
EC50 - Other aquatic organisms [1]	7.2 mg/l waterflea
EC50 - Other aquatic organisms [2]	27 mg/l
ErC50 algae	28 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Desmodesmus subspicatus, Static system, Fresh water, Experimental value, GLP)

GLYCOLIC ACID (79-14-1)	
LC50 - Fish [1]	164 mg/l
EC50 - Other aquatic organisms [1]	141 mg/l waterflea

12.2. Persistence and degradability

ODOR LINE SURF DES	
Persistence and degradability	Not established.

LACTIC ACID (79-33-4)	
Persistence and degradability	Readily biodegradable in water.
Biochemical oxygen demand (BOD)	0.45 g O ₂ /g substance
Chemical oxygen demand (COD)	0.9 g O ₂ /g substance
ThOD	1.066 g O ₂ /g substance

SODIUM LAURYL SULFATE (85586-07-8)	
Persistence and degradability	Readily biodegradable in water.

D-pentose oligomeric C5 alkyl glycosides (1235390-87-0)	
Persistence and degradability	Rapidly degradable

CITRIC ACID (5949-29-1)	
Persistence and degradability	Rapidly degradable

ODOR LINE SURF DES

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SODIUM LAURETH SULFATE (68891-38-3)

Persistence and degradability	Readily biodegradable in water.
-------------------------------	---------------------------------

GLYCOLIC ACID (79-14-1)

Persistence and degradability	Rapidly degradable
-------------------------------	--------------------

12.3. Bioaccumulative potential

ODOR LINE SURF DES

Bioaccumulative potential	Not established.
---------------------------	------------------

LACTIC ACID (79-33-4)

Partition coefficient n-octanol/water (Log Pow)	-0.54 (Experimental value, OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method, 25 °C)
---	--

Bioaccumulative potential	Not bioaccumulative.
---------------------------	----------------------

SODIUM LAURYL SULFATE (85586-07-8)

Partition coefficient n-octanol/water (Log Pow)	0.78 (Experimental value, OECD 123: Partition Coefficient (1-Octanol/Water): Slow-Stirring Method, 22 °C)
---	---

Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).
---------------------------	--

SODIUM LAURETH SULFATE (68891-38-3)

Partition coefficient n-octanol/water (Log Pow)	0.3 (Experimental value, OECD 123: Partition Coefficient (1-Octanol/Water): Slow-Stirring Method, 23 °C)
---	--

Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).
---------------------------	--

GLYCOLIC ACID (79-14-1)

Partition coefficient n-octanol/water (Log Pow)	-1.1
---	------

12.4. Mobility in soil

LACTIC ACID (79-33-4)

Surface tension	70 mN/m (20 °C, 1 g/l, OECD 115: Surface Tension of Aqueous Solutions)
-----------------	--

Organic Carbon Normalized Adsorption Coefficient (Log Koc)	< 1.32 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value, GLP)
--	--

Ecology - soil	Highly mobile in soil.
----------------	------------------------

SODIUM LAURYL SULFATE (85586-07-8)

Surface tension	29.9 mN/m (23 °C, 1 g/l, EU Method A.5: Surface tension)
-----------------	--

Organic Carbon Normalized Adsorption Coefficient (Log Koc)	2.5 – 2.7 (log Koc, Calculated value)
--	---------------------------------------

Ecology - soil	Low potential for adsorption in soil.
----------------	---------------------------------------

SODIUM LAURETH SULFATE (68891-38-3)

Surface tension	33 mN/m (25 °C, 0.07 %, BS EN 14370:2004: Surface tension)
-----------------	--

Organic Carbon Normalized Adsorption Coefficient (Log Koc)	0.34 (log Koc, QSAR)
--	----------------------

Ecology - soil	Highly mobile in soil.
----------------	------------------------

ODOR LINE SURF DES

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

12.5. Results of PBT and vPvB assessment

Component

Substance(s) not meeting the PBT criteria of REACH regulation, in accordance with Annex XIII	LACTIC ACID (79-33-4), SODIUM LAURYL SULFATE (85586-07-8), SODIUM LAURETH SULFATE (68891-38-3)
Substance(s) not meeting the vPvB criteria of REACH regulation, in accordance with Annex XIII	LACTIC ACID (79-33-4), SODIUM LAURYL SULFATE (85586-07-8), SODIUM LAURETH SULFATE (68891-38-3)

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

ODOR LINE SURF DES

Other information	Avoid release to the environment.
-------------------	-----------------------------------

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations.
Ecological waste information	: Avoid release to the environment.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

14.1. UN number or ID number

UN-No. (ADR)	: UN 1903
UN-No. (IMDG)	: UN 1903
UN-No. (IATA)	: UN 1903
UN-No. (ADN)	: UN 1903
UN-No. (RID)	: UN 1903

14.2. UN proper shipping name

Proper Shipping Name (ADR)	: DISINFECTANT, LIQUID, CORROSIVE, N.O.S.
Proper Shipping Name (IMDG)	: DISINFECTANT, LIQUID, CORROSIVE, N.O.S.
Proper Shipping Name (IATA)	: Disinfectant, liquid, corrosive, n.o.s.
Proper Shipping Name (ADN)	: DISINFECTANT, LIQUID, CORROSIVE, N.O.S.
Proper Shipping Name (RID)	: DISINFECTANT, LIQUID, CORROSIVE, N.O.S.
Transport document description (ADR) (ADR)	: UN 1903 DISINFECTANT, LIQUID, CORROSIVE, N.O.S. (LACTIC ACID; GLYCOLIC ACID), 8, III, (E)
Transport document description (IMDG)	: UN 1903 DISINFECTANT, LIQUID, CORROSIVE, N.O.S. (LACTIC ACID; GLYCOLIC ACID), 8, III
Transport document description (IATA)	: UN 1903 Disinfectant, liquid, corrosive, n.o.s. (LACTIC ACID; GLYCOLIC ACID), 8, III
Transport document description (ADN)	: UN 1903 DISINFECTANT, LIQUID, CORROSIVE, N.O.S. (LACTIC ACID; GLYCOLIC ACID), 8, III
Transport document description (RID)	: UN 1903 DISINFECTANT, LIQUID, CORROSIVE, N.O.S. (LACTIC ACID; GLYCOLIC ACID), 8, III

14.3. Transport hazard class(es)

ADR	
Transport hazard class(es) (ADR)	: 8
Danger labels (ADR)	: 8

ODOR LINE SURF DES

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878



IMDG

Transport hazard class(es) (IMDG) : 8
Danger labels (IMDG) : 8



IATA

Transport hazard class(es) (IATA) : 8
Danger labels (IATA) : 8



ADN

Transport hazard class(es) (ADN) : 8
Danger labels (ADN) : 8



RID

Transport hazard class(es) (RID) : 8
Danger labels (RID) : 8



14.4. Packing group

Packing group (ADR) : III
Packing group (IMDG) : III
Packing group (IATA) : III
Packing group (ADN) : III
Packing group (RID) : III

14.5. Environmental hazards

Dangerous for the environment : No
Marine pollutant : No
EmS-No. (Fire) : F-A
EmS-No. (Spillage) : S-B
Other information : No supplementary information available

14.6. Special precautions for user

Overland transport


Classification code (ADR) : C9
Special provisions (ADR) : 274
Limited quantities (ADR) : 5I
Excepted quantities (ADR) : E1

ODOR LINE SURF DES

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Packing instructions (ADR)	: P001, IBC03, LP01, R001
Mixed packing provisions (ADR)	: MP19
Tank code (ADR)	: L4BN
Vehicle for tank carriage	: AT
Transport category (ADR)	: 3
Special provisions for carriage - Packages (ADR)	: V12
Hazard identification number (Kemler No.)	: 80
Orange plates	:



Tunnel restriction code (ADR)	: E
-------------------------------	-----

Transport by sea

Special provisions (IMDG)	: 223, 274
Limited quantities (IMDG)	: 5 L
Excepted quantities (IMDG)	: E1
Packing instructions (IMDG)	: P001, LP01
IBC packing instructions (IMDG)	: IBC03
Stowage category (IMDG)	: A
Properties and observations (IMDG)	: A wide variety of corrosive liquids. Causes burns to skin, eyes and mucous membranes.

Air transport

PCA Excepted quantities (IATA)	: E1
PCA Limited quantities (IATA)	: Y841
PCA limited quantity max net quantity (IATA)	: 1L
PCA packing instructions (IATA)	: 852
PCA max net quantity (IATA)	: 5L
CAO packing instructions (IATA)	: 856
CAO max net quantity (IATA)	: 60L
Special provisions (IATA)	: A3, A803
ERG code (IATA)	: 8L

Inland waterway transport

Classification code (ADN)	: C9
Special provisions (ADN)	: 274
Limited quantities (ADN)	: 5 L
Excepted quantities (ADN)	: E1
Equipment required (ADN)	: PP, EP
Number of blue cones/lights (ADN)	: 0

Rail transport

Classification code (RID)	: C9
Special provisions (RID)	: 274
Limited quantities (RID)	: 5L
Excepted quantities (RID)	: E1
Packing instructions (RID)	: P001, IBC03, LP01, R001
Mixed packing provisions (RID)	: MP19
Tank codes for RID tanks (RID)	: L4BN
Transport category (RID)	: 3
Special provisions for carriage – Packages (RID)	: W12
Colis express (express parcels) (RID)	: CE8
Hazard identification number (RID)	: 80

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

ODOR LINE SURF DES

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU-Regulations

REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (2024/590)

Not listed on the Ozone Depletion list (Regulation EU 2024/590)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 2024/590 on substances that deplete the ozone layer)

Council Regulation (EC) for the control of dual-use items

Contains no substance subject to the COUNCIL REGULATION (EC) for the control of dual-use items

Explosives Precursors Regulation (EU 2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (EC 273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Data sources	: REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.
Other information	: None.

Full text of H- and EUH-statements:	
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B
Skin Corr. 1C	Skin corrosion/irritation, Category 1, Sub-Category 1C
Skin Irrit. 2	Skin corrosion/irritation, Category 2
H302	Harmful if swallowed.

ODOR LINE SURF DES

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Full text of H- and EUH-statements:

H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H412	Harmful to aquatic life with long lasting effects.

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.